
Variable cross-over points for multi-bit screening

Technical Note Hqn093

November 2014

1 Introduction

From HHR v4.1r0, when producing 2-bit or 4-bit deep output raster, it is now possible to influence how specific output pixel values (of all the possible non-zero output pixel values) are employed, including:

- using a subset of the output pixel values available at the given bit depth;
- limiting the maximum amount of an output value that the RIP employs;
- overlapping the introduction of a darker output value with the end of the preceding lighter output value.

This is achieved using the `/MixLevels` extension to `sethalftone`.

2 MixLevels

This section describes the `/MixLevels` extension in `sethalftone`.

In the PostScript language rendering model for 1-bit-per-pixel (bpp) output raster the screening information given to a RIP (frequency, angle and spot function, or thresholds) is used to determine when an output pixel is switched on (sometimes referred to as “lit”).

When producing 2 or 4-bpp output raster, the RIP can re-purpose such 1-bit screening information, so as to use it instead to determine when each output pixel should take on one of its several possible values. For an inkjet printer, each output pixel value may correspond to a different droplet size, or a different number of droplets ejected. For a laser printer, each output value may correspond to the degree of exposure at that point.

The `/MixLevels` key is a Harlequin extension that influences how the RIP does that.

In the absence of `/MixLevels`, the RIP will simply use the 1-bit screening information to determine when each output pixel takes on its next numerically-higher value, using it once to control the transition from 0 to 1, and then again from 1 to 2 and so on. This is similar to what the Red Book is referring to when it says “This scheme easily generalizes to monochrome devices with multiple bits per pixel” in section 7.4.5 “Threshold arrays”, except that the Harlequin Host Renderer can do the same with spot function screens, not just thresholds.

However, such simplistic behavior may be unsuitable for real-world output devices.

The `/MixLevels` key comprises an array of dictionaries, where each entry in the array influences how and when the RIP will employ one specific output pixel value out of all the possible non-zero output pixel values.

For example, in 2-bpp output raster, every pixel can take on one of three possible non-zero values: 3, 2 and 1 (from “darkest” to “lightest”). So, in its simplest form, `/MixLevels` for 2-bpp output will be an array that influences the use of the output pixel values 3, 2 and 1 (also in order from “darkest” to “lightest”). For example:

```
/MixLevels [
  << /Gradient 1.5 >> % Output pixel value 3 ('Darkest')
  << /Gradient 1.0 >> % Output pixel value 2
  << /Gradient 0.5 >> % Output pixel value 1 ('Lightest')
]
```

where `/Gradient` (the only mandatory key in each dictionary) is a purely relative value that determines how “dark” one output value is, compared to another output value.

(The units used for `/Gradient` are irrelevant to the RIP—it evaluates how one `/Gradient` value compares with another. However, `/Gradient` values must reduce for each successive numerically-lower output pixel value.)

Another way to think of `/Gradient` might be the relative density contributions that an output pixel value has on the final output. So for example, if you measured the (paper-relative) densities of a patch of 100% of each of the three 2-bit pixel output values, you could probably enter those measured densities directly as the `/Gradient`.

2.1 Not using every possible output value

Some devices don't really employ all the possible output pixel values, so you can use fewer dictionaries in the `/MixLevels` array (and add a `/Value` key to each) to make the RIP produce just a subset of the values. For example, you could use something like this for a 2-bpp device that only actually uses pixel values 1 and 3:

```
/MixLevels [
  << /Value 3 /Gradient 1.75 >> % Output pixel value 3 ('Darkest')
  << /Value 1 /Gradient 1.0 >> % Output pixel value 1 ('Lightest')
]
```

Note: Currently there is a restriction that the “Darkest” pixel output value must be 3 for 2-bpp, or 15 for 4-bpp.

The dictionaries in the array must still be in descending order of `/Value`.

2.2 Not using 100% of every output value

You can use the `/Limit` key to prevent the RIP from using 100% of the given output value. That is, prevent it from setting every pixel in the output to the same value. For example:

```
/MixLevels [  
  << /Limit 0.65 /Gradient 1.5 >> % Output pixel value 3 ('Darkest')  
  << /Limit 0.80 /Gradient 1.0 >> % Output pixel value 2  
  << /Limit 0.90 /Gradient 0.5 >> % Output pixel value 1 ('Lightest')  
]
```

Note: In current RIPs, a 100% black/solid color will always produce 100% of the darkest output pixel value even if the first entry in the `MixLevels` array has a limit less than 1.0. (This is due to a RIP-wide optimization, but can be avoided relatively easily using a suitable calibration that has **Force solids** turned off.)

2.3 Adding overlap between output values

There may be times when you want the pixels of a darker output value to start to appear before the pixels of the lighter output value have reached their specified maximum. This is achieved using the `/Overlap` key.

It is deducted from the `/Limit` of the current output value, to determine when the next darker output value will start to overlap with this one. In the following example the darker value will start to be used at the (defaulted) limit of 1.0 minus 0.2. That is, at 0.8 or 80% coverage of the lighter value:


```
/MixLevels [  
  << /Value 3 /Gradient 1.75 >> % Darker value  
  << /Value 1 /Overlap 0.2 /Gradient 1.0 >> % Lighter value  
]
```

2.4 Example 1

For Example 1 the screen is based on one of the RIP's HDS (dispersed) screens, but uses just 5 of the possible 15 non-zero output pixel values available in a 4-bpp output raster. (The coarse screen is chosen for illustration purposes.)


```
<<
  /HalftoneType 199 /Halftone /Hds-d-gen /HalftoneColor /D
  /HalftoneName /EG_HDS_FiveLevel
  /MixLevels [
    << /Value 15 /Gradient 2.5 >>
    << /Value 12 /Gradient 2.2 /Overlap 0.3 >>
    << /Value 9 /Gradient 2.0 /Overlap 0.3 >>
    << /Value 6 /Gradient 1.8 /Overlap 0.1 >>
    << /Value 3 /Gradient 1.0 /Overlap 0.1 >>
  ]
>>
sethalftone
```

In the absence of the `/Overlap` keys, the `/Gradient` numbers would cause the RIP to place the cross-over points at 40%, 72%, 80% and 88%. But with the `/Overlap` keys, the result is a smoother looking transition.



Example 1.a

Example 1.a shows the first cross-over point—in the upper part can be seen the result without the `/Overlap`; a distinct band can be seen wherein all the pixels are the same value. By contrast, the lower part shows the much smoother looking transition when `/Overlap` is added.



Example 1.b

Example 1.b shows the remaining cross-over points—again, the three noticeable bands in the upper part are far less obvious in the lower part because `/Overlap` is used.

Notes on example 1

Example 1 assumes 4-bit output raster (`/ValuesPerComponent 16`).

The last three cross-over points are very close together because of the relatively small difference in `/Gradient` of the darker output values.

This is also why the `/Overlap` numbers are higher for the last two output values—to stretch the overlap across a wider range.

`/HalftoneType 199` is a Harlequin extension that allows you to use a halftone dictionary declared elsewhere. In this instance we are “borrowing” one of the screens the GUI calls “HDS Coarse” (`/Halftone /Hds-d-gen`), and (for no particular reason) this example uses what HDS conventionally uses for its Black colorant (`/HalftoneColor /D`).

Note: See the file `SW\Screens\s.f.ps` for the full definitions of the current HDS tile sets: `/Hds-a-gen` (also known as HDS Super Fine), `/Hds-b-gen` (HDS Fine), `/Hds-c-gen` (HDS Medium), `/Hds-d-gen` (HDS Coarse), and `/Hds-e-gen` (HDS Super Coarse). Each has six “colorants” named `/A` thru `/F`, plus two “inverse” tiles `/Ai` and `/Bi` which are the A and B tiles with their pixel order reversed.

This simple example uses a single halftone dictionary, which is effectively a /HalftoneType 16 because that's what the type 199 alias is referring to (/D in /Hds-d-gen), but you can use /MixLevels in any subordinate dictionary of a /HalftoneType 5 halftone as well.

/HalftoneName isn't mandatory, but it does appear in the screening “Dot-shape” messages in the RIP monitor, which can be useful. For example:


```
Dot shape: 'EG_HDS_FiveLevel' Component: Cyan
Levels: [15] 100.00 - 85.60 [12] 89.03 - 77.60 [9] 81.37 - 68.80 [6]
72.45 - 36.00 [3] 40.00 - 0.00
Tones used: 1024/1024
Colorants: 'Cyan' 'Magenta' 'Yellow' 'Black'
```

2.5 Example 2

Example 2 shows the use of /MixLevels on a normal spot-function AM screen.


```
<<
  /HalftoneType 1
  /HalftoneName /EG_Spot_ThreeLevel
  /Angle 75
  /Frequency 12
  /SpotFunction { dup mul exch dup mul 0.5 mul add 1 exch sub } bind
  /MixLevels [
    << /Gradient 2.5 >>
    << /Gradient 1.5 /Overlap 0.3 >>
    << /Gradient 0.75 /Overlap 0.3 >>
  ]
>>
sethalftone
```

Note: The frequency value is very low for illustration purposes.



Example 2.a

Example 2.a shows the first cross-over point, and again illustrates how the use of `/Overlap` means the darker output value starts to appear as a darkening of the centre of the spot whilst the spots themselves still look like ellipses (albeit with one edge touching).



Example 2.b

Example 2.b shows the second cross-over point, and together these illustrations show how the screen retains its normal spot-shape feel over the whole range.

Notes on example 2

Example 2 assumes 2-bit output raster (`/ValuesPerComponent 4`).

The “Dot-shape” report for this example looks like this:

```
Dot Shape: 'EG_Spot_ThreeLevel', Frequency: 12.000000, Angle: 75.000000
Deviated Frequency: 12.000000, Frequency Inacc: 0.000000, Angle Inacc:
0.000000
Levels: [3] 100.00 - 51.15 [2] 64.01 - 21.13 [1] 30.17 - 0.15
Tones used: 654/654
Colorants: 'Cyan' 'Magenta' 'Yellow' 'Black'
```

3 Definitions of keys

`/MixLevels`

(array, optional) An array of dictionaries, in descending order of (non-zero) output pixel value, each dictionary providing parameters that influence the RIP’s use of that output pixel value.

3.1 Keys within the dictionaries in /MixLevels

/Gradient

(*real, mandatory*) The relative “darkness”, as perceived on the output device, of one output pixel value, when compared with the other pixel values supported by the device.

Errors (other than typecheck)

The following will cause a `rangecheck` error:

/Gradient less than 0.0.

/Gradient greater than or equal to the /Gradient of the dictionary in the next lower index position within the /MixLevels array. That is, the /Gradient of the next “darker” output pixel value.

/Value

(*integer, optional*) The output pixel value this parameter dictionary applies to.

Range: 1 to 3 for 2-bpp output raster; 1 to 15 for 4-bpp output raster.

Default: One less than the /Value of the dictionary in the next lower index position within the /MixLevels array. That is, one less than the next “darker” output pixel value.

Errors (other than typecheck)

The following will cause a `rangecheck` error:

/Value less than 0.

/Value greater than or equal to the /Value of the dictionary in the next lower index position within the /MixLevels array. That is, the /Value of the next “darker” output pixel value.

/Limit

(*real, optional*) The maximum amount this output value is to be used, where 1.0 represents 100%.

Range: 0.01 to 1.0.

Default: 1.0.

Errors (other than typecheck)

The following will cause a `rangecheck` error:

/Limit greater than 1.0.

`/Overlap`

(*real, optional*) The amount before the `/Limit` of this output value that the next darker output pixel value will start to appear.

Range: 0.0 to the value of `/Limit`.

Default: 0.0.

Errors (other than typecheck)

The following will cause a `rangecheck` error:

`/Overlap` less than 0.0.

`/Overlap` greater than or equal to the `/Limit` value in the same output value dictionary.

`/Overlap` non-zero for the first dictionary in the `/MixLevels` array, because that always represents the “darkest” output value, so there can be no “darker” value with which it can overlap.

Document history

Change history		
v1.0	25.11.2014	New Document



Copyright and Trademarks

Variable cross-over points for multi-bit screening

Version 1.0: November 2014

Part number: Hqn093

Document issue: 102

Copyright © 2014 Global Graphics Software Ltd and its licensors. All Rights Reserved.

Global Graphics Software Ltd. Confidential Information.

Certificate of Computer Registration of Computer Software.

Registration No. 2006SR05517

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Global Graphics Software Ltd.

The information in this publication is provided for information only and is subject to change without notice. This publication could contain technical inaccuracies, typographical errors and out-of-date information. Use of the information is therefore at your own risk. Global Graphics Software Ltd and its affiliates shall not be responsible or liable for any loss or damage that may arise from the use of any information in this publication.

The software described in this publication is furnished under license and may only be used or copied in accordance with the terms of that license. Global Graphics Software Ltd accepts no responsibility or liability for any special, punitive, incidental, indirect or consequential damages of any kind, or any damages whatsoever, including, without limitation, those resulting from loss of use, data or profits, whether or not Global Graphics Software has been advised of the possibility of such damages, and on any theory of liability, arising out of or in connection with the use of this software.

Protected by U.S. Patents 5,862,253; 6,343,145; 6,330,072; 6,483,524; 6,380,951; 6,755,498; 6,624,908; 6,809,839; 6,755,498; 6,624,908; 6,809,839; 6,996,284; 7,298,526; 7,359,530; 8,749,813; 8,823,982.

Other U.S. Patents Pending

Protected by European Patents 0 803 160; 0 772 934

Portions Type 1 font renderer contains licensed third party software

Portions copyright 1991 International Business Machines, Corp.,

Portions copyright 1991 Lexmark International, Inc.

Portions Adobe Glyph List. Copyright 1990-2007 Adobe Systems Incorporated.

Portions Adobe Cmaps. Copyright 1990-2009 Adobe Systems Incorporated

Portions TrueType® font renderer copyright 1997 Bitstream, Inc.

Portions developed using the Kakadu software. Copyright 2001 David Taubman, The University of New South Wales (Unisearch Ltd)

The ECI and FOGRA ICC color profiles supplied with this Harlequin RIP are distributed with the kind permission of the ECI (European Color Initiative) and FOGRA respectively, and of Heidelberger Druckmaschinen AG (HEIDELBERG).

The IFRA ICC profiles supplied with this Harlequin RIP are distributed with the kind permission of IFRA and of GretagMacbeth.

Harlequin and the Harlequin RIP are trademarks of Global Graphics Software Ltd, which may be registered in certain jurisdictions. Harlequin ColorPro, Harlequin Dispersed Screening (HDS), Harlequin Precision Screening (HPS), TrapPro, SetGold, SetGoldPro, Harlequin MultiRIP, Harlequin Host Renderer, Harlequin Parallel Pages and Harlequin VariData are all trademarks of Global Graphics Software Ltd. Other brand or product names are the registered trademarks or trademarks of their respective holders.

TrueType is a registered trademark of Apple Computer, Inc.

Microsoft, Win32, Windows, Windows NT, Windows Server, Windows Vista, Windows 7, Windows 8 and WinFX are either registered trademarks or trademarks of the Microsoft Corporation in the United States and/or other countries.

PANTONE® Colors displayed herein may not match PANTONE-identified standards. Consult current PANTONE Color Publications for accurate color. PANTONE® and other Pantone trademarks are the property of Pantone LLC. © Pantone LLC, 2014.

Portions include software licensed under the following terms:

Expat - XML parser library

Copyright © 1998, 1999, 2000 Thai Open Source Software Center Ltd and Clark Cooper

Copyright © 2001, 2002 Expat maintainers.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

ICU - IBM library providing Unicode and Globalization support

Copyright © 1995-2003 International Business Machines Corporation and others All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation

the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

Libpng - PNG (Portable Network Graphics) image library

libpng version 1.2.6, December 3, 2004, is Copyright © 2004 Glenn Randers-Pehrson, and is distributed according to the same disclaimer and license as libpng-1.2.5 with the following individual added to the list of Contributing Authors

Cosmin Truta

libpng versions 1.0.7, July 1, 2000, through 1.2.5 - October 3, 2002, are Copyright © 2000-2002

Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors

Simon-Pierre Cadieux

Eric S. Raymond

Gilles Vollant

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement.

There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright © 1998, 1999

Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane

Glenn Randers-Pehrson

Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright © 1996, 1997 Andreas Dilger

Distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright © 1995, 1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

OpenSSL - general purpose cryptography library

Copyright © 1998-2011 The OpenSSL Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. All advertising materials mentioning features or use of this software must display the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact openssl-core@openssl.org.

5. Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project.

6. Redistributions of any form whatsoever must retain the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)".

THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This product includes cryptographic software written by Eric Young (ey@cryptsoft.com). This product includes software written by Tim Hudson (tjh@cryptsoft.com).

Copyright © 1995-1998 Eric Young (ey@cryptsoft.com)

All rights reserved.

This package is an SSL implementation written by Eric Young (ey@cryptsoft.com). The implementation was written so as to conform with Netscapes SSL.

This library is free for commercial and non-commercial use as long as the following conditions are adhered to. The following conditions apply to all code found in this distribution, be it the RC4, RSA, lhash, DES, etc., code; not just the SSL code. The SSL documentation included with this distribution is covered by the same copyright terms except that the holder is Tim Hudson (tjh@cryptsoft.com).

Copyright remains Eric Young's, and as such any Copyright notices in the code are not to be removed. If this package is used in a product, Eric Young should be given attribution as the author of the parts of the library used. This can be in the form of a textual message at program startup or in documentation (online or textual) provided with the package.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. All advertising materials mentioning features or use of this software must display the following acknowledgement: "This product includes cryptographic software written by Eric Young (ey@cryptsoft.com)". The word 'cryptographic' can be left out if the routines from the library being used are not cryptographic related-).

4. If you include any Windows specific code (or a derivative thereof) from the apps directory (application code) you must include an acknowledgement: "This product includes software written by Tim Hudson (tjh@cryptsoft.com)".

THIS SOFTWARE IS PROVIDED BY ERIC YOUNG "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The licence and distribution terms for any publicly available version or derivative of this code cannot be changed. i.e. this code cannot simply be copied and put under another distribution licence [including the GNU Public Licence.

zlib - general purpose compression library

Copyright © 1995-2013 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Little cms - color management engine

Little cms Copyright © 1998-2004 Marti Maria

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

pthread-win32 - a POSIX threads library for Microsoft Windows

This file is Copyrighted

This file is covered under the following Copyright:

Copyright © 2001,2006 Ross P. Johnson All rights reserved.

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Pthreads-win32 is covered by the GNU Lesser General Public License

Pthreads-win32 is open software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation version 2.1 of the License.

Pthreads-win32 is several binary link libraries, several modules, associated interface definition files and scripts used to control its compilation and installation.

Pthreads-win32 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

A copy of the GNU Lesser General Public License is distributed with pthread-win32 under the filename: COPYING.LIB

You should have received a copy of the version 2.1 GNU Lesser General public License with pthread-win32; if not, write to:

Free Software Foundation, Inc.

59 Temple Place

Suite 330

Boston, MA02111-1307

USA

The contact addresses for pthread-win32 is as follows:

Web:<http://sources.redhat.com/pthreads-win32>

Email: Ross Johnson

Please use: Firstname.Lastname@homemail.com.au

Pthreads-win32 copyrights and exception files

With the exception of the files listed below, Pthreads-win32 is covered under the following GNU Lesser General Public License copyrights: threads-win32 - POSIX Threads Library for Win32:

Copyright© 1998 John E. Bossom

Copyright© 1999,2006 Pthreads-win32 contributors

The current list of contributors is contained in the file CONTRIBUTORS included with the source code distribution. The current list of CONTRIBUTORS can also be seen at the following WWW location:

<http://sources.redhat.com/pthreads-win32/contributors.html>

Contact Email: Ross Johnson

Please use: Firstname.Lastname@homemail.com.au

These files are not covered under one of the Copyrights listed above:

COPYING

COPYING.LIB

tests/rwlock7.c

This file, COPYING, is distributed under the Copyright found at the top of this file. It is important to note that you may distribute verbatim copies of this file but you may not modify this file.

The file COPYING.LIB, which contains a copy of the version 2.1 GNU Lesser General Public License, is itself copyrighted by the Free Software Foundation, Inc. Please note that the Free Software Foundation, Inc. does NOT have a copyright over Pthreads-win32, only the COPYING.LIB that is supplied with pthreads-win32.

The file tests/rwlock7.c is derived from code written by Dave Butenhof for his book 'Programming

With POSIX® Threads'. The original code was obtained by free download from his website <http://home.earthlink.net/~anneart/family/Threads/source.html> and did not contain a copyright or author notice. It is assumed to be freely distributable.

In all cases one may use and distribute these exception files freely. And because one may freely distribute the LGPL covered files, the entire pthreads-win32 source may be freely used and distributed.

General Copyleft and License info

For general information on Copylefts, see: <http://www.gnu.org/copyleft/>

For information on GNU Lesser General Public Licenses, see: <http://www.gnu.org/copyleft/lesser.html>
<http://www.gnu.org/copyleft/lesser.txt>

sRGB Profile Licensing Agreement:

To anyone who acknowledges that the files "sRGB_IEC61966-2-1_noBPC.icc" and "sRGB_IEC61966-2-1_withBPC.icc" are provided "AS IS" WITH NO EXPRESS OR IMPLIED WARRANTY, permission to use, copy and distribute these file for any purpose is hereby granted without fee, provided that the files are not changed including the HP copyright notice tag, and that the name of Hewlett-Packard Company shall not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Hewlett-Packard Company makes no representations about the suitability of this software for any purpose.

Copyright © 2005-2008, The Android Open Source Project

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

“License” shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

“Licensor” shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

“Legal Entity” shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, “control” means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

“You” (or “Your”) shall mean an individual or Legal Entity exercising permissions granted by this License.

“Source” form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

“Object” form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

“Work” shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

“Derivative Works” shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

“Contribution” shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, “submitted” means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as “Not a Contribution.”

“Contributor” shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this

section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a “NOTICE” text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an “AS IS” BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer

failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

libftiff

Version string is 20060323

Copyright © 1992-1997 Sam Leffler

Copyright © 1992-1997 Silicon Graphics, Inc.

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that (i) the above copyright notices and this permission notice appear in all copies of the software and related documentation, and (ii) the names of Sam Leffler and Silicon Graphics may not be used in any advertising or publicity relating to the software without the specific, prior written permission of Sam Leffler and Silicon Graphics.

THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND, EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

IN NO EVENT SHALL SAM LEFFLER OR SILICON GRAPHICS BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER OR NOT ADVISED OF THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

US Government Use

Harlequin Host Renderer software is a computer software program developed at private expense. If the Harlequin Host Renderer software is acquired under the terms of a proposal or agreement with the United States Government or any contractor therefor, the software is subject to the following restricted rights notice: "This Software is commercial computer software provided with RESTRICTED RIGHTS. Use, duplication, or disclosure by the U.S. Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013, FAR 52.227-17 Alternate III (g)(3), or subparagraphs (c)(1) and (2) of the Commercial Computer Software -- Restricted Rights at 48 CFR 52.227-19, as applicable, and their successor provisions. Contractor/Manufacturer is Global Graphics Software Incorporated, Waltham, MA 02451."