
Halftone Raster Packing

Technical Note Hqn090

November 2013



Halftone raster packing

In a 64-bit RIP the halftone data is packed in 64-bit chunks instead of 32. You can see what the raster packing unit is in the Page buffer header labelled as `/PackingUnit`. It is also available in the structure `pageHeader` for plugin interface version 20.0 or later.

If a plugin or device treats the data as a row of bytes (instead of DWORDS or QWORDS) a form of “byte reversal” may be made to correct for the way Intel machines store DWORDS in little-endian form. Therefore, if your existing plugin or device is byte-reversing each group of four bytes (for example) in a 32-bit RIP, it may need to byte reverse each group of eight in a 64-bit RIP.

Note: `/PackingUnit` values other than 32 or 64 refer to contone raster formats. Plugins and devices that use contone raster will not need changing because the raster packing for contone is the same for both 32-bit and 64-bit.


Currently, the Harlequin MultiRIP (HMR) v10.0rx supports 1-bit-per-pixel. The Harlequin Host Renderer (HHR) supports 1-, 2- and 4-bits-per-pixel.

To account for the possibility that future Harlequin RIPs might support additional packing models, the plugin or device code should check the `packingUnit` field in the `pageHeader` structure, as long as the RIP API version is high enough to support that field.

1-bit-per-pixel—packingUnit 32-bits


Supported by HMR v10.0rx and HHR 4.0rx.

In a 32-bit RIP each 32-bit machine-word (DWORD) in the raster has 32 bits of data, arranged with the left-most raster bit/pixel at the most significant end of the DWORD (bit 31) and the right-most raster bit/pixel at the least significant bit of the DWORD (bit 0), like this:



1-bit-per-pixel byte ordering on Intel machines


If a plugin or device treats the data as a row of bytes (instead of DWORDS or QWORDS) a form of “byte reversal” may be made to correct for the way intel machines store DWORDS in little-endian form. That is, the memory in byte order for the first two DWORDS on a 32-bit RIP, will look like this:




1-bit-per-pixel—packingUnit 64 bits

Supported by HMR v10.0rx and HHR 4.0rx.

In a 64-bit RIP each 64-bit machine-word (QWORD) in the raster has 64 bits of data, arranged with the left-most raster bit/pixel at the most significant end of the QWORD (bit 63) and the right-most raster bit/pixel at the least significant bit of the QWORD (bit 0), like this:




In a 64-bit RIP, the byte order for the first two QWORDS looks like this:




2-bits-per-pixel—packingUnit 32 bits

Supported by HHR 4.0rx.

Each 32-bit machine-word [DWORD] in the raster has 32 bits of data arranged with the left-most raster pixel at the most significant end of the DWORD (bits 30 and 31) and the right-most raster pixel at the least significant end of the DWORD (bits 0 and 1), like this:




On little-endian architectures (such as Intel), if you look at memory in byte order for the first two DWORDs when 32-bit packed, it looks like this:




2-bits-per-pixel—packingUnit 64 bits

Supported by HHR 4.0rx.

Each 64-bit machine-word [QWORD] in the raster has 64 bits of data arranged with the left-most raster pixel at the most significant end of the QWORD (bits 62 and 63) and the right-most raster pixel at the least significant end of the QWORD (bits 0 and 1), like this:




On little-endian architectures (such as Intel), if you look at memory in byte order for the first two QWORDS when 64-bit packed, it looks like this:




4-bits-per-pixel—packingUnit 32 bits

Supported by HHR 4.0rx.

Each 32-bit machine-word [DWORD] in the raster has 32 bits of data arranged with the left-most raster pixel at the most significant end of the DWORD (bits 28 to 31) and the right-most raster pixel at the least significant end of the DWORD (bits 0 to 3), like this:




On little-endian architectures (such as Intel), if you look at memory in byte order for the first two DWORDs when 32-bit packed, it looks like this:




4-bits-per-pixel—packingUnit 64 bits

Supported by HHR 4.0rx.

Each 64-bit machine-word [QWORD] in the raster has 64 bits of data arranged with the left-most raster pixel at the most significant end of the QWORD (bits 60 to 63) and the right-most raster pixel at the least significant end of the QWORD (bits 0 to 3), like this:



On little-endian architectures (such as Intel), if you look at memory in byte order for the first two QWORDS when 64-bit packed, it looks like this:



Document history

Change history		
v1.0	29.11.2013	New Document



Copyright and Trademarks

Halftone Raster Packing

Version 1.0: November 2013

Part number: Hqn090

Document issue: 101

Copyright © 2013 Global Graphics Software Ltd. All rights reserved.

Certificate of Computer Registration of Computer Software. Registration No. 2006SR05517

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Global Graphics Software Ltd.

The information in this publication is provided for information only and is subject to change without notice. Global Graphics Software Ltd. and its affiliates assume no responsibility or liability for any loss or damage that may arise from the use of any information in this publication. The software described in this book is furnished under license and may only be used or copied in accordance with the terms of that license.

Harlequin is a registered trademark of Global Graphics Software Ltd.

The Global Graphics Software logo, the Harlequin at Heart Logo, Cortex, Harlequin RIP, Harlequin ColorPro, EasyTrap, FireWorks, FlatOut, Harlequin Color Management System (HCMS), Harlequin Color Production Solutions (HCPS), Harlequin Color Proofing (HCP), Harlequin Error Diffusion Screening Plugin 1-bit (HEDS1), Harlequin Error Diffusion Screening Plugin 2-bit (HEDS2), Harlequin Full Color System (HFCS), Harlequin ICC Profile Processor (HIP), Harlequin Standard Color System (HSCS), Harlequin Chain Screening (HCS), Harlequin Display List Technology (HDLT), Harlequin Dispersed Screening (HDS), Harlequin Micro Screening (HMS), Harlequin Precision Screening (HPS), HQcrypt, Harlequin Screening Library (HSL), ProofReady, Scalable Open Architecture (SOAR), SetGold, SetGoldPro, TrapMaster, TrapWorks, TrapPro, TrapProLite, Harlequin RIP Eclipse Release, Harlequin RIP Genesis Release, Harlequin MultiRIP, Harlequin Host Renderer, Harlequin Parallel Pages and Harlequin VariData are all trademarks of Global Graphics Software Ltd.

Protected by U.S. Patents 5,579,457; 5,808,622; 5,784,049; 5,862,253; 6,343,145; 6,330,072; 6,483,524; 6,380,951; 6,755,498; 6,624,908; 6,809,839.

Other U.S. Patents Pending

Protected by European Patents 0 803 160; 0 772 934; 0 896 771; 672 29 760.8-08.

Portions licensed under U.S. Patent No. 5,212,546; 4,941,038.

TrueType is a registered trademark of Apple Computer, Inc.

Fonts copyright (c) 2000-2004 Timo Lehtinen. All Rights Reserved. <http://www.timolehtinen.com/type/>.

The ECI and FOGRA ICC color profiles supplied with this Harlequin RIP are distributed with the kind permission of the ECI (European Color Initiative) and FOGRA respectively, and of Heidelberger Druckmaschinen AG (HEIDELBERG).

The IFRA ICC profiles supplied with this Global Graphics Software are distributed with the kind permission of IFRA and of GretagMacbeth.

International Cooperation for Integration of Processes in Prepress, Press and Postpress, CIP4, Job Definition Format, JDF and the CIP4 logo are trademarks of CIP4.

Adobe, Adobe Photoshop, Adobe Type Manager, Acrobat, Display PostScript, Adobe Illustrator, PostScript, Distiller and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries which may be registered in certain jurisdictions.

Global Graphics Software Ltd. is a licensee of Pantone, Inc. PANTONE® Colors generated by ScriptWorks are four-color process simulations and may not match PANTONE-identified solid color standards. Consult current PANTONE Color Publications for accurate color. PANTONE®, Hexachrome®, and PANTONE CALIBRATED™ are trademarks of Pantone, Inc. © Pantone, Inc., 1991.

Other brand or product names are the registered trademarks or trademarks of their respective holders.

US Government Use

Harlequin RIP software is a computer software program developed at private expense and is subject to the following Restricted Rights Legend: "Use, duplication, or disclosure by the United States Government is subject to restrictions as set forth in (i) FAR 52.227-14 Alt III or (ii) FAR 52.227-19, as applicable. Use by agencies of the Department of Defense (DOD) is subject to Global Graphics Software's customary commercial license as contained in the accompanying license agreement, in accordance with DFAR 227.7202-1(a). For purposes of the FAR, the Software shall be deemed to be 'unpublished' and licensed with disclosure prohibitions, rights reserved under the copyright laws of the United States." Global Graphics Software Incorporated, Somerset Court, Suite 320, 281 Winter Street, Waltham, MA 02451.