

---

---

# TIFF/IT-P1 Output Plugin

Version 2.1r2

January 2007

## Copyright and Trademarks

*TIFF/IT-P1 Output Plugin*

Version 2.1r2

January 2007

Document number 101\_hw Part number: HQ-2.1.2-TIFFIT

Copyright © 1992-2007 Global Graphics Software Limited.

All Rights Reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of Global Graphics Software Ltd.

The information in this publication is provided for information only and is subject to change without notice. Global Graphics Software Ltd and its affiliates assume no responsibility or liability for any loss or damage that may arise from the use of any information in this publication. The software described in this book is furnished under license and may only be used or copied in accordance with the terms of that license.

Harlequin is a registered trademark of Global Graphics Software Ltd.

Torrent is a registered trademark of HighWater Designs Limited.

The Global Graphics Software logo, the Harlequin at Heart Logo, Cortex, Harlequin RIP, Harlequin ColorPro, EasyTrap, FireWorks, FlatOut, Harlequin Color Management System (HCMS), Harlequin Color Production Solutions (HCPS), Harlequin Color Proofing (HCP), Harlequin Error Diffusion Screening Plugin 1-bit (HEDS1), Harlequin Error Diffusion Screening Plugin 2-bit (HEDS2), Harlequin Full Color System (HFCS), Harlequin ICC Profile Processor (HIPPP), Harlequin Standard Color System (HSCS), Harlequin Chain Screening (HCS), Harlequin Display List Technology (HDLT), Harlequin Dispersed Screening (HDS), Harlequin Micro Screening (HMS), Harlequin Precision Screening (HPS), HQcrypt, Harlequin Screening Library (HSL), ProofReady, Scalable Open Architecture (SOAR), SetGold, SetGoldPro, TrapMaster, TrapWorks, TrapPro, TrapProLite, Harlequin RIP Eclipse Release and Harlequin RIP Genesis Release are all trademarks of Global Graphics Software Ltd.

Protected by U.S. Patents 5,579,457; 5,808,622; 5,784,049; 5,862,253; 6,343,145; 6,330,072; 6,483,524; 6,380,951.

Other U.S. Patents Pending

Protected by European Patents 0 803 160; 0 772 934; 0 896 771.

Portions licensed under U.S. Patent No. 5,212,546; 4,941,038.

LZW licensed under U.S. Patent No. 4,558,302 and foreign counterparts.

TrueType is a registered trademark of Apple Computer, Inc.

The ECI and FOGRA ICC color profiles supplied with this Harlequin RIP are distributed with the kind permission of the ECI (European Color Initiative) and FOGRA respectively, and of Heidelberger Druckmaschinen AG (HEIDELBERG).

The IFRA ICC profiles supplied with this Global Graphics Software are distributed with the kind permission of IFRA and of GretagMacbeth.

International Cooperation for Integration of Processes in Prepress, Press and Postpress, CIP4, Job Definition Format, JDF and the CIP4 logo are trademarks of CIP4.

Adobe, Adobe Photoshop, Adobe Type Manager, Acrobat, Display PostScript, Adobe Illustrator, PostScript, Distiller and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries which may be registered in certain jurisdictions.

Global Graphics Software Ltd is a licensee of Pantone, Inc. PANTONE® Colors generated by ScriptWorks are four-color process simulations and may not match PANTONE-identified solid color standards. Consult current PANTONE Color Publications for accurate color. PANTONE®, Hexachrome®, and PANTONE CALIBRATED™ are trademarks of Pantone, Inc. © Pantone, Inc., 1991.

Other brand or product names are the registered trademarks or trademarks of their respective holders.

US Government Use

Harlequin RIP software is a computer software program developed at private expense and is subject to the following Restricted Rights Legend: "Use, duplication, or disclosure by the United States Government is subject to restrictions as set forth in (i) FAR 52.227-14 Alt III or (ii) FAR 52.227-19, as applicable. Use by agencies of the Department of Defense (DOD) is subject to Global Graphics Software's customary commercial license as contained in the accompanying license agreement, in accordance with DFAR 227.7202-1(a). For purposes of the FAR, the Software shall be deemed to be 'unpublished' and licensed with disclosure prohibitions, rights reserved under the copyright laws of the United States." Global Graphics Software Incorporated, 5875 Trinity Parkway, Suite 110, Centreville, VA 2012.

<http://www.highwater.co.uk>

### HighWater Designs Limited

1-6 St. George's Business Park,  
Alstone Lane,  
Cheltenham, GL51 8HF,  
UK.

Telephone: +44 1242 542100

Fax: +44 1242 251600

---

---

# Contents

<b>1</b>	<b>Introduction</b>	<b>4</b>
1.1	Capabilities of the plugin	4
1.2	Restrictions of the plugin	4
<b>2</b>	<b>Software installation</b>	<b>5</b>
2.1	Supplying passwords	6
<b>3</b>	<b>Device configuration</b>	<b>7</b>
3.1	Output filename setup	7
3.2	Other options	8
<b>4</b>	<b>Routine use</b>	<b>9</b>
4.1	Page Setup settings	9
4.2	Roaming page buffers	9
<b>5</b>	<b>Troubleshooting</b>	<b>10</b>
<b>6</b>	<b>Related documentation</b>	<b>11</b>

---

---

# TIFF/IT-P1 Output Plugin

This document describes the TIFF/IT-P1 output plugin, version 2.1.2, for use with version 6.0 and later of the Torrent RIP. The plugin is available for the Torrent RIP running under Windows (NT, 2000 and XP), on Macintosh computers (Classic and OS X), and Macintosh computers running Mac OS X on Intel processors.

## 1 Introduction

Plugins are a way of extending the capabilities of the Torrent RIP in a way that does not require any programming or other technical skills from the person installing the plugin. Typical plugins allow the RIP to accept jobs from various sources of input, to process the data in various ways, to report on the progress of rasterizing the image, to provide page images in new formats, and to send the final image to output devices or interface systems.

### 1.1 Capabilities of the plugin

The TIFF/IT-P1 plugin allows the Torrent RIP to produce Tag Image File Format for Image Technology–Profile 1 (TIFF/IT-P1) files as specified by the International Standards Organization (ISO) Draft International Standard 12639. The TIFF/IT-P1 format provides a clean interface for proprietary colour electronic prepress systems (CEPS) formats such as the Scitex CT/LW format, and TIFF/IT-P1 files are a common method of transferring images for use in advertising.

For more detailed background information on the TIFF/IT-P1 format, see Chapter 8 in the *Torrent User's Guide*.

The plugin produces TIFF/IT-P1 files — made up of FP, CT, HC, and LW files — compliant with the ISO Standard 12639. The plugin sends those portions of input jobs that are images, for example, produced by the PostScript-language operators `image` and `colorimage`, to the CT file; it sends all other portions to the LW file. The plugin may or may not produce a HC file, depending on user configuration and the contents of the input job.

It is possible to select non-compliant behaviour by choosing not to create empty CT files.

### 1.2 Restrictions of the plugin

The restrictions on the plugin are largely those of the file format specification in the ISO standard.

For example, LW files do not support more than 256 colours, with one colour reserved for transparency. The device configuration dialog box offers options to handle the overflow colours from LW files; for details, see Section 3.2 on page 8.

## 2 Software installation

The TIFF/IT-P1 plugin is supplied with the Torrent RIP and distributed on the Torrent RIP CD-ROM. Install the plugin as follows:

1. The TIFF/IT-P1 plugin requires the Torrent RIP to be installed on the target machine. If the RIP is not installed then you may add it at the same time as you add the TIFF/IT-P1 plugin.
2. Insert the Torrent RIP CD-ROM and access its contents. At the top level of the CD run the setup program for the operating system you are running.
3. In the Product Installer window specify the Torrent RIP installation folder as the destination for the plugin files.
4. From the Package menu choose **Optional Plugins** and from the Products menu choose **TIFF/IT-P1 Plugin 2.1r2**.
5. Click **Add** to add the plugin to the list of products to install, and click **Install** to begin copying the files from the CD.

If after selecting Install a browser dialog appears, you have selected an invalid or incorrect RIP folder. Use the browser to select the correct RIP folder and click **OK**.

If the message "Selection is not a valid RIP folder" appears, you have again selected an incorrect RIP folder. You are given another opportunity to select the correct folder. When the correct folder is selected, the plugin is installed and the "Installation complete" message appears.

6. After installing the files, close the Product Installer window and start the Torrent RIP.

If you have correctly installed the plugin, a line similar to the following will appear in the RIP monitor when you next start up the RIP:

```
%! TIFF/IT-P1 - Version 2.1r2 - Copyright (c) 1998-2007 Global Graphics Software Ltd. All Rights Reserved.
```

7. Before using the plugin, you need to configure the RIP, configure the device, and choose options in the Page Setup dialog box. To configure the RIP, choose **Torrent > Configure RIP** to display the Configure RIP dialog box.
8. From the **Page buffering** drop-down list, choose **single (if required)**. This option is the most efficient in terms of memory usage. You can use other modes if there is sufficient memory available to the RIP.
9. Click **OK** in the Configure RIP dialog box. You are now ready to configure the device, as described in the following steps.
10. Choose **Torrent > Page Setup Manager** to display the Page Setup Manager dialog box.
11. Click **New** to display the Page Setup dialog box.
12. From the **Device** drop-down list, choose **TIFF/IT-P1**.

**Note:** If **TIFF/IT-P1** does not appear as an option in the **Device** drop-down list in the Page Setup dialog box, see Section 2.1. Otherwise, continue with Section 3 on page 7.

## 2.1 Supplying passwords

If **TIFF/IT-P1** does not appear as an option in the **Device** drop-down list in the Page Setup dialog box, your installation of the Torrent RIP may require you to enter a password before you can use the plugin. (Note that TIFF 6.0 input is always enabled.) You can enter the password by following this procedure:

1. Contact HighWater Designs or your Torrent RIP supplier to request a password. You may be asked to give the serial number of your RIP which is displayed when starting up, in the form:

**Serial number:** 1234-56


You must also specify the platform for which you require the password.

2. Once you have a password, choose **Torrent > Configure RIP** to display the Configure RIP dialog box.
3. Click the **Extras** button in the Configure RIP dialog box to display the Configure RIP Extras dialog box.
4. Select **TIFF/IT-P1**, **TIFF/IT-P1**, and click **Add**. (Make sure you do not choose the *input* option **TIFF/IT** by mistake.)
5. In the Enable Feature dialog box, enter the password for this plugin given to you by your supplier, and click **OK**.
6. Click **OK** in each of the Configure RIP Extras and Configure RIP dialog boxes.

### 3 Device configuration

Once you have installed the plugin, you can configure it to meet your needs by following this procedure:

1. Click **Configure device** to display the TIFF/IT-P1 Configuration dialog box.



**Figure 1** TIFF/IT-P1 Configuration dialog box (Windows version)

The controls in this box fall into the following categories:

- Output filename setup. See Section 3.1.
- Other options. See Section 3.2 on page 8.

2. Make the settings you wish, then click **OK**.

Now that you have configured the device, you can choose Page Setup settings, as described in Section 4.1.

#### 3.1 Output filename setup

The settings in this section allow you to name output files simply and uniquely.

##### Folder

Click the button to use a file browser to choose the folder to hold the output file. Alternatively, in the text field, type in the full path to the folder you want to use. This path must specify the disk name and all folders to an *existing* folder.

If you do not choose a folder, the plugin creates the files in the folder holding the `sw` folder of the Torrent RIP installation that you are using.

##### Stem and Use jobname as stem

You can use a fixed stem (or start) to the names of output files or use a variable stem based on the job names.

To use a fixed stem, in the **Stem** text field, type a stem for the filename *and* deselect the **Use jobname as stem** check box. For example, if you use the stem `1mb` (and leave the suffixes at their defaults), you can expect to see files named `1mb01.CT`, `1mb01.FP`, and `1mb01.LW`, with subsequent pages or jobs producing files called `1mb02.CT`, `1mb02.FP`, and `1mb02.LW`, and so on.

Alternatively, use the jobname as the filename stem by setting the **Use jobname as stem** check box.

### Use 8.3 Filenames

Set this check box to use DOS-compatible short file names. Leave this check box clear to use long file names.

### Use jobname unchanged

Set this checkbox to retain non-alphanumeric characters in the output file name. **Use jobname as stem** must also be checked for this option to be implemented.

**Note:** Be aware that invalid file names can result if the jobname contains characters \ / : \* ? " < > which are not allowed in file names.

### HC Suffix, CT Suffix, LW Suffix, and FP Suffix

Type text strings to act as suffixes to the filenames into these text boxes. The defaults appear in the text boxes, but you can change them if required by your workflow.

## 3.2 Other options

The settings in this section allow you to specify the content of the output more precisely.

### Produce HC File

From this drop-down list box, choose a method of handling jobs that contain more than 256 colours defining objects that should be sent to the LW file. Note that HC files are optional in the TIFF/IT-P1 specification. The choices are:

#### Abort on LW overflow - No HC file

This method produces an error when the plugin reaches the limit of 256 colours for the LW file. No output files are produced.

#### Draw LW overflow in white - No HC file

All new colours after reaching the 256 colour limit are treated as white and painted into the LW file.

**Note:** There is a choice of white or transparent. The right choice may depend on the content of the job or your need to diagnose which element is provoking the overflow.

#### Draw LW overflow as transparent - No HC file

All new colours after reaching the 256 colour limit are treated as transparent and painted into the LW file.

#### Overflow LW colours into HC file

All new colours after reaching the 256 colour limit are treated as transparent and painted into the HC file, but edges are reproduced at the resolution of the CT file.

**Note:** There is a choice of resolution when using a HC file. The other, higher resolution, choice is to use HC accurate edges.



**Overflow LW colours into HC, with HC accurate edges**

All new colours after reaching the 256 colour limit are treated as transparent and painted into the HC file, at the full resolution of the HC file.

**Omit CT File if empty (not P1 compliant)**

Set this check box to omit the CT file if it is empty. This makes the output non-compliant with the TIFF/IT-P1 specification but the output may still be usable in some workflows. This setting saves some disk space.

Clear this check box to output the CT file regardless of its contents.

**CT Subsampling Factor**

The resolution specified in the Page Setup dialog box is the LW resolution; CTs can be lower resolution.

To specify the CT resolution, choose a ratio from this drop-down list box. For example, a ratio of 5:1 means that the CT file has a resolution 5 times lower than the LW file; with this example ratio, if the LW resolution is 2000 dots per inch (dpi) then the CT file has a resolution of 400 dpi.

**Vignettes to CT**

Set this check box if you need to output vignettes to CT files rather than LW files.

**Anti-alias CT**

Check this option to apply anti-aliasing to the CT file. This can produce a smoother image.

As a default this option is not selected.

## 4 Routine use

The remaining controls that you need to consider are in the Page Setup dialog box.

### 4.1 Page Setup settings

The settings in the **Resolution** panel directly specify the resolution for LW and HC files only. (The device configuration dialog box specifies the CT resolution by defining a ratio between the resolutions of the LW and CT files.)

The **Style** drop-down list box in the **Separations, Screening and Colour** panel offers only one option, **CMYK Composite**. Spot colours are not supported; this is a deliberate restriction in the TIFF/IT-P1 specification.

When you have made the settings you want, click **Save As**. In the **Save Setup** dialog box, type a name in the **Save As** text box and click **Save**. The new page setup now appears in the list in the Page Setup Manager dialog box.

### 4.2 Roaming page buffers

If you are producing output in a mode that allows display of the Output Controller/Monitor, you can select a page buffer and click **Roam** to inspect it. The Roam window displays a normal

view of the image with the Roam Option dialog box providing simple control of the CMYK components.

**Note:** This is a change from earlier versions of the TIFF/IT-P1 output plugin, which produced a different kind of page buffer. Roaming those page buffers displayed multiple layers for each colour, including masks which obscured the image until turned **Off**. These masks are no longer required.

## 5 Troubleshooting

You may see the following messages or symptoms when using the TIFF/IT-P1 output plugin.

**TIFF/IT-P1: ERROR: Unable to allocate memory for intermediate buffer**

This message appears if insufficient memory has been allocated to the RIP in **Memory for RIP** settings. Allocate additional memory in **Torrent > Configure RIP > Options**. Consider adding more RAM to your computer if this error persists.

**TIFF/IT-P1: ERROR: Run out of colours in LineWork file**

This message appears if the setting **Abort on LW overflow - No HC file** is chosen for the **Produce HC File** option in the device configuration dialog box. This is the default setting.

**Note:** This message appears when producing the output files, not when producing the page buffer file. If you have set **Disable Output** in the Output Controller/Monitor, the error message may occur after you have prepared several unsuitable page buffers. You may still be able to output these page buffers: select each page buffer, click **Info** then **Configure Device** and use one of the other settings described on page 8.

**TIFF/IT-P1: ERROR: Unable to generate unique output filenames**

Check that your chosen output folder is not full of similarly named files.

To avoid the problem, do one of the following: move the existing files, choose a different output folder, choose a different filename stem, or clear the **Use 8.3 Filenames** check box

**TIFF/IT-P1: ERROR: Cannot write output file (disk is probably full)**

Check that your chosen output folder is on a disk with sufficient spare space.

### ***Jagged or fuzzy text or line elements in the output***

This may be the result of other elements in the job using all the colours available in the LW file, combined with use of the setting **Overflow LW colours into HC file** for the **Produce HC File** option in the device configuration dialog box.

Try using the setting **Overflow LW colours into HC**, with **HC accurate edges** but be aware that this may produce large output files.

## 6 Related documentation

For more details about the TIFF/IT-P1 format, see:

- The International Standards Organization's Draft International Standard (DIS) ISO 12639:1998, "Graphic technology — Prepress digital data exchange — Tag image fill format for image technology (TIFF/IT)".

This specification can be ordered from:

<http://www.iso.ch/>

- The ANSI IT8.8 standard.
- The Aldus TIFF 6.0 standard.

This standard is now maintained by Adobe and is available from Adobe's web site.