
Using ‘Try Before You Buy’ (for Torrent v6 SP4 and later)

The Torrent RIP’s new ‘Try Before You Buy’ feature (available from Torrent v6 SP4 onwards) lets you use and evaluate, without restriction, Torrent RIP options for 45 calendar days.

This manual contains the following sections:

1. Available Try Before You Buy options.
2. Obtaining a permit licence for Try Before You Buy options.
3. The computer’s IP address.
4. Installing the Try Before You Buy licence.
5. Manually installing a Try Before You Buy licence.
6. Post-installation Try Before You Buy RIP messages.
7. Removing Try Before You Buy options.
8. Manually starting and stopping the Harlequin License Server.

1 Available Try Before You Buy options

The following Try Before You Buy options are available:

- Simple Imposition
- Torrent media saving
- HEDS 1&2 BIT
- HDS (High) screening
- HDS (Lite) screening
- TrapProLite (*not available for Torrent v7.0 onwards*)
- TrapPro
- ColourPro Low Res
- ColourPro Full Res
- CIP3
- TIFF-IT out
- TIFF-IT in
- HMS - Micro screening
- HCS - Chain screening
- Miramar AppleTalk protocol (*Windows XP users only*)
- Torrent ProofReady HP 1050/1055
- Torrent ProofReady HP 2000/2500
- Torrent ProofReady HP 3000/3500
- Torrent ProofReady HP 5000/5500
- Torrent ProofReady HP DesignJet 10/20/50
- Torrent ProofReady HP DesignJet 120
- Torrent ProofReady Epson 3000
- Torrent ProofReady VSD Epson 4000
- Torrent ProofReady VSD Epson 10000
- Torrent ProofReady VSD Epson 10600
- Torrent ProofReady VSD Epson 2100
- Torrent ProofReady VSD Epson 2200
- Torrent ProofReady VSD Epson 4800
- Torrent ProofReady VSD Epson 5500
- Torrent ProofReady VSD Epson 7600
- Torrent ProofReady VSD Epson 7800
- Torrent ProofReady VSD Epson 9600
- Torrent ProofReady VSD Epson 9800

Note: Some of the above options require increased memory or disk space. Please refer to the relevant documentation (available on HighWater’s Pre-Press Solutions CDs) for details of any additional system requirements when using these options.

2 Obtaining a permit licence for Try Before You Buy options

To make use of a Try Before You Buy feature, contact your dealer. If this is not possible then contact HighWater Designs directly using one of the methods below:


- Contact the relevant HighWater Sales Manager, if known
- Email: sales@highwater.co.uk
- Phone: +44 (0) 1242 542101
- Fax: +44 (0) 1242 251600

Please provide the following information with your request:

- **Serial number** of your dongle (this is a 3–5 digit number), for example:

HighWater - PowerMac	
PU1-N-23-33DX-2	
SN: 41792	Serial number
Security: 33609-37	Security number

- **Security number** of your dongle. This is a 3–5 digit number with a two-digit checksum written on your dongle. It is also displayed in your Torrent RIP monitor during start-up.
- **Delivery method** of the Try Before You Buy permit file:
 - Email (preferred). Please provide your email address.
 - Floppy disk. Please provide the delivery address.
- **Trial code.** This code is displayed in the 'Configure RIP Extras' dialog (to display this in Torrent, select **Configure RIP...** from the **Torrent** menu and click on the **Extras** button), for example:



When you have provided the required information, you will be sent a .tryb licence file (either by email or on a floppy disk, depending on the delivery method you selected). **Copy this file to a known location on your hard disk.**


3 The computer's IP address

In order for Try Before You Buy to function correctly, your machine needs a **fixed** IP address, or you need to resolve the computer's name to an IP address (for example, using a DNS server). Please contact your system administrator for more help with this, if necessary.

4 Installing the Try Before You Buy licence

To install the Try Before You Buy licence:


1. In the Torrent RIP, open the 'Configure RIP Extras' dialog by selecting **Configure RIP...** from the **Torrent** menu and then clicking on the **Extras** button. The following dialog is displayed:



2. Click the **Try...** button and navigate to the Try Before You Buy licence file (`<file name>.tbyb`) that you copied to your machine earlier. (If the **Try...** button is not enabled, see section 5, "Manually installing a Try Before You Buy licence".)
3. Select the `.tbyb` file and click on the **Select** button. If the installation is successful the following message appears:

Try Before You Buy installed successfully

Click on **OK** to remove the message. The enabled trial options now say **Trial** in the 'Enabled' column, for example:



4. Now, click on **OK** on all open dialog boxes to complete the procedure.

Warning: Do not select **Cancel** in any of the dialogs displayed after the **Extras** dialogs, otherwise the trial will not be properly enabled, as described in section 4.1.

5. Finally, restart your RIP.

The remaining period for the trial options is shown in the monitor window when the RIP starts and also in the 'Configure RIP Extras' dialog (as shown above).

4.1 Cancelling from the trial

When you install a Try Before You Buy file two things occur:

- A permit is added to the License Server.
- Passwords are set.

If you select **Cancel** in any of the dialogs displayed after the 'Extras' dialogs, the trial will not be enabled. Cancelling will un-set the passwords, but the Harlequin License Server will still have the permit. In this case, Try Before You Buy is still enabled although you are, in effect, evaluating **no** features. However, the following message will still appear:

Evaluation period will expire in <n> days

where <n> is the number of days remaining.

5 Manually installing a Try Before You Buy licence

The following instructions describe how to manually install a Try Before You Buy licence in the RIP. You may have to do this if the **Try...** button in the 'Configure RIP Extras' dialog box is unavailable, which occurs when the Torrent RIP and the Harlequin License Server (HLS) are installed on different machines.

To install a Try Before You Buy licence manually:

1. Locate and open the Try Before You Buy licence file (that you copied to your machine earlier) in a text editor.
2. Copy the information between <Permit data starts> and <Permit data ends> into a new text file. Save the new text file with the name **TBYB.hqn.permit**.
3. Copy the information between <Password data starts> and <Password data ends> into a new text file. Save the new text file with the name **TBYB.pwd**.
4. On the machine where HLS is installed, open your HLS permits folder (or create the folder if it does not already exist). The folder can be found in the following location:

Windows: \Program Files\Common Files\Global Graphics
Software\Harlequin License Server Permits\

Mac OS X: Library/Application Support/Global Graphics
Software/Harlequin License Server Permits


5. Place the **TBYB.hqn.permit** file into this permits folder.
6. Restart the computer.
7. On the machine where the Torrent RIP is installed, open the RIP passwords folder:

Windows users: <Torrent RIP install folder>\SW\Passwords

Mac OS X users: <Torrent RIP install folder>/SW/Passwords

8. Place the **TBYB.pwd** file into this passwords folder.
9. Restart the RIP.

The Try Before You Buy features are now enabled in the RIP. The remaining evaluation period for the trial features is displayed in the RIP monitor window when the RIP loads, and also in the 'Configure RIP Extras' dialog, for example:



6 Post-installation Try Before You Buy RIP messages

After installing a Try Before You Buy licence, the Torrent RIP monitor displays the following messages (depending on the stage of the trial period):

Time remaining for the Try Before You Buy evaluation:

`Try Before You Buy evaluation period will expire in <n> days`

On the day the licence is due to expire:

`Try Before You Buy evaluation period expires today`

After the licence has expired:

`Try Before You Buy evaluation period has expired`

7 Removing Try Before You Buy options

To remove the Try Before You Buy options from the RIP:

1. Shut down the Torrent RIP.
2. Stop the Harlequin License Server, as described in section 8.
3. Move the file called **tbyb.installed.hqn.permit** from the following folder to a safe location:

Windows: `\Program Files\Common Files\Global Graphics
Software\Harlequin License Server Permits\`

Mac OS X: `/Library/Application Support/Harlequin License Server/`

4. Move the files of the form: **xxxxxx-tbyb.installed.004** from the following location folder to a safe location:

Windows: <Torrent RIP install folder>\SW\Passwords

Mac OS X: <Torrent RIP install folder>/SW/Passwords

5. Restart the Harlequin License Server, as described in section 8.
6. Restart the Torrent RIP.
7. In Torrent, select **Configure RIP...** from the **Torrent** menu and click on the **Extras** button. Check that the trial options are no longer enabled.

If you need to re-enable the trial options, put the password and permit files back into their original folders.

8 Manually starting and stopping the Harlequin License Server


This section describes how to manually start and stop the Harlequin License Server (HLS).

Note: *It is not usually necessary to start HLS manually, as the service automatically launches when the computer starts up or when a job processing application, running locally, opens.*

8.1 Starting and stopping HLS in Windows

On a Windows machine, to start and stop the HLS service manually, do the following:

1. In Windows, from the **Start** menu, open **Control Panel > Administrative Tools > Services**. The services window opens showing all your services, for example:



2. From the list, right-click **Harlequin License Server** and select **Start** or **Stop** from the shortcut menu that opens. The 'Service Control' window appears briefly as the service is started or stopped.
3. Close all open windows to finish the procedure.

8.2 Starting and stopping the HLS service in Mac OS X

On a Mac OS X machine, to stop or start the HLS service manually, issue the following commands in a terminal window:

To start the HLS service:

```
sudo /sbin/SystemStarter start HarlequinLicenseServer
```

To stop the HLS service:

```
sudo /sbin/SystemStarter stop HarlequinLicenseServer
```